

## Caterpillar Parts List

Qty	Part	Description	each	ext
4	<b>061-9463</b>	fitting	1.75	7.00
6	<b>033-6043</b>	oring	0.96	5.76
1	<b>109-4318</b>	gasket		8.62
16	<b>1A2029</b>	bolt	0.15	2.40
29	<b>1D4719</b>	nut (1F7958)	0.07	2.03
4	<b>1F3278</b>	adapter	1.95	7.80
4	<b>1M6107</b>	piston pin bushing 1693, 343	11.91	47.64
3	<b>1P1033</b>	seal	3.28	9.84
3	<b>1P6442</b>	gasket	1.34	4.02
2	<b>1S1225</b>	seal	3.53	7.06
1	<b>1S4203</b>	bearing		5.03
3	<b>1S6249</b>	pin	0.39	1.17
1	<b>1W0707</b>	fuel press gauge 0-30		14.03
1	<b>1W5168</b>	gauge		12.98
3	<b>1W6005</b>	oil pump bushing	17.99	53.97
8	<b>1W8895</b>	gasket	0.99	7.92
6	<b>1W8922</b>	ringset 3400 series	28.10	168.60
4	<b>2A4429</b>	collet	0.08	0.32
14	<b>2B7408</b>	plug	0.09	1.26
2	<b>2H2356</b>	oil pump bushing	6.21	12.42
2	<b>2H3088</b>	oring	0.94	1.88
3	<b>2K2939</b>	seal	2.61	7.83
1	<b>2M0605</b>	plunger (OE)		39.32
1	<b>2N0794</b>	retainer		2.29
1	<b>2M8216</b>	seal		3.71
3	<b>2P0483</b>	chamber	27.46	82.38
3	<b>2S2251</b>	oring	1.85	5.55
2	<b>2S7472</b>	gasket	1.51	3.02
1	<b>2W1734</b>	rear seal 3406, 3408, 3412		23.54
9	<b>2W6134</b>	band	1.26	11.34
1	<b>3B7254</b>	bushing		2.41
14	<b>3D0490</b>	stud	1.98	27.72
18	<b>3E6777</b>	seal	2.58	46.44
1	<b>3F5792</b>	oring		1.27
3	<b>3F7445</b>	bushing	8.61	25.83
2	<b>3H1397</b>	seal	3.56	7.12
1	<b>3H2512</b>	bushing		7.09
48	<b>3H5887</b>	seal	0.97	46.56
24	<b>3H5912</b>	ferrule	2.78	66.72
2	<b>3L5686</b>	lock	6.41	12.82
1	<b>3S3978</b>	oring		1.54
5	<b>4B0047</b>	dowel	1.99	9.95
4	<b>4B7054</b>	lock	0.89	3.56
1	<b>4B8923</b>	gasket		9.57
4	<b>4F5408</b>	spring	1.91	7.64
4	<b>4F5409</b>	spring	1.97	7.88
4	<b>4H0945</b>	fitting	1.98	7.92
1	<b>4H7496</b>	plate (OE)		123.23
9	<b>4H9541</b>	gasket	0.58	5.22
2	<b>4H3848</b>	seal	3.21	6.42

1	4L4448	isolator		6.63
1	4L4653	thrust washer		27.89
7	4L4661	gasket	0.42	2.94
1	4L5789	tach drive OE ( list 495.00)		187.88
1	4L7943	bearing		4.27
2	4L8337	seal	2.92	5.84
2	4L9752	pin	2.95	5.90
3	4N0684	pin	1.31	3.93
1	4N1151	pan gasket 3406, 3408		8.36
1	4N2803	guide		1.73
2	4N3664	int valve guide	4.51	9.02
12	4N6761	rotator 343	4.21	50.52
6	4N7253	washer	0.96	5.76
6	4P8495	con rod bsh 330,343,346,348,349	5.08	30.48
1	4P8915	head gasket 3304		29.98
1	4S5477	bearing		8.69
1	4S8903	valve seat .010		6.03
1	4W4011	thermostat		16.55
1	5B1959	adapter		4.59
21	5B2638	bolt	0.48	10.08
6	5B3718	seal	0.44	2.64
1	5F0149	oring		1.14
24	5F2807	cap	0.14	3.36
3	5F7881	condensor	5.52	16.56
10	5H1039	oring	2.78	27.80
1	5H5797	gasket		2.16
13	5K5959	seal	0.88	11.44
1	5L1687	gasket		1.59
6	5L4940	gasket	6.83	40.98
1	5L5032	oring		1.47
6	5M2667	washer	0.89	5.34
1	5M3351	lock		1.57
2	5M9736	oil seal	3.37	6.74
2	5N8176	tach drive 3408 & others	29.02	58.04
5	5P5598	seal	1.69	8.45
1	5P5846	oring		3.48
1	5P8068	oring		3.59
1	5S3903	rear crank seal 343		36.24
1	5P9855	afterclr gasket kit 3408		46.22
1	5S1613	key		9.64
2	5S4554	oring	4.66	9.32
1	5S6452	intake valve		8.75
1	5S8543	bushing		8.65
2	5S9022	rear crk seal 330,3304,3306	28.15	56.30
1	6B0924	bearing		2.84
10	6B6224	ferrule	0.89	8.90
10	6B7021	seal	0.81	8.10
1	6F8007	spring		1.69
1	6I0031	fuel line 3408		30.59
1	6I0032	fuel line 3408		30.59
1	6I0033	fuel line 3408		30.59
1	6I0034	fuel line 3408		30.59
1	6I0035	fuel line 3408		30.59
1	6I0036	fuel line 3408		30.59
1	6I0037	fuel line 3408		30.59

1	<b>6I0038</b>	fuel line 3408		30.59
5	<b>6F9163</b>	oring	2.16	10.80
8	<b>6L2780</b>	gasket	4.43	35.44
1	<b>6L4428</b>	stud		1.64
2	<b>6L4911</b>	gasket	0.69	1.38
2	<b>6L4915</b>	gasket	0.98	1.96
1	<b>6L5038</b>	gasket		3.63
3	<b>6L5359</b>	seal	1.95	5.85
2	<b>6L5473</b>	seal	4.66	9.32
24	<b>6L7813</b>	seal	82	19.68
16	<b>6L7814</b>	seal	0.63	10.08
3	<b>6L7815</b>	oring	2.14	6.42
2	<b>6N4590</b>	thermostat	17.14	34.28
9	<b>6N7174</b>	shield	0.65	5.85
1	<b>7B0305</b>	seal		0.42
15	<b>7B2420</b>	ferrule	0.81	12.15
4	<b>7F7510</b>	lock	0.63	2.52
7	<b>7F7666</b>	rotator	30.87	216.09
6	<b>7H3070</b>	lock	1.14	6.84
1	<b>7H3171</b>	plug		0.89
1	<b>7L0520</b>	stud		4.93
1	<b>7M6124</b>	spring		3.63
1	<b>7M7219</b>	bearing		1.44
2	<b>7M7224</b>	gasket	15.41	30.82
1	<b>7M7226</b>	gasket		14.17
1	<b>7N5946</b>	switch		27.88
2	<b>7N7639</b>	rotator	8.47	16.94
1	<b>7N9342</b>	thrust wsh (1003652)		18.19
2	<b>7N9352</b>	gasket	8.15	16.30
1	<b>7N9806</b>	pin		14.02
1	<b>7N9809</b>	pin		14.07
6	<b>7S3206</b>	oring	1.16	6.96
1	<b>7W0507</b>	gear		24.95
6	<b>8F4994</b>	seal	0.31	1.86
1	<b>8F7689</b>	key		1.15
1	<b>8F8858</b>	button		3.03
4	<b>8F8997</b>	nut	0.88	3.52
2	<b>8H9180</b>	seal	2.08	4.16
1	<b>8M0874</b>	plunger		7.91
1	<b>8M2222</b>	spring		1.43
1	<b>8M3182</b>	spring		2.29
1	<b>8M3210</b>	spring		0.84
3	<b>8M4389</b>	seal	0.43	1.29
1	<b>8M4991</b>	oring		0.89
36	<b>8M5251</b>	seal	0.29	10.44
1	<b>8M5254</b>	seal		0.69
8	<b>8N1831</b>	nozzle	19.27	154.16
1	<b>8N5339</b>	rod bearing .025		20.16
6	<b>8N7769</b>	rod bearing 379,398,399	29.41	176.46
1	<b>8S9303</b>	fuel line 343		19.47
1	<b>8S9305</b>	fuel line 343		19.47
1	<b>8S9306</b>	fuel line 343		19.47
1	<b>9L1576</b>	pan gsk 1693, 343		14.95
1	<b>9L6893</b>	bonnet inj pump		19.25
1	<b>9L9658</b>	lock		1.78

1	<b>9M4823</b>	bushing		5.45
1	<b>9M5075</b>	hd gsk set 922 SN59A1-2018		95.97
1	<b>9M9647</b>	oring		1.26
4	<b>9M7002</b>	gasket	1.26	5.04
1	<b>9M9788</b>	plunger		4.89
1	<b>9S9860</b>	connecting rod bolt		8.76
				3216.63

All manufacturer's names, numbers, symbols and descriptions are used for reference only and do not imply that any part listed is the product of these manufacturers.

All parts subject to prior sale.